08.07.2020 windhamfabrics.com

## Christmas Tree Farm

designed by Wendy sheppard featuring A Song for Christmas by Whistler Studios SIZE: 68" x 91"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



FREE





KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		FROM PALETTE 37098-56 Cloud	1	<ul> <li>(7) 1-1/2" x WOF. Piece strips and subcut</li> <li>(2) 1-1/2" x 58-1/2" and (2) 1-1/2" x 79-1/2" strips.</li> <li>(7) 2-1/2" x WOF strips. Piece strips and subcut</li> <li>(2) 2-1/2" x 54-1/2" and (2) 2-1/2" x 73-1/2" strips.</li> </ul>
В		FROM COLORWALL 50653-4 Amber Gold	1/4	(2) 1-3/4" x WOF strips; subcut (32) 1-3/4" squares. (1) 3" x WOF strips; subcut (4) 3" squares.
С		51021M-X Multi	2-3/4	Outer Border: Centering poinsettias, fussy cut lengthwise: (2) 5-1/2" x 71-1/2" and (2) 5-1/2" x 94-1/2" strips.
D		51022M-3 Burgundy	1/2	<ul> <li>(3) 3-1/2" x WOF strips; subcut (6) 3-1/2" x 10-1/2" and</li> <li>(3) 3-1/2" x 6-1/2" rectangles.</li> <li>(1) 2-1/2" x WOF strips; subcut (4) 2-1/2" x 7-1/2" rectangles.</li> </ul>
E		51023M-2 Hunter	3/8	(2) 3-1/2" x WOF strips; subcut (7) 3-1/2" x 10-1/2" rectangles.
F		51023M-3 Burgundy	1/4	(1) 3-1/2" x WOF strips; subcut (4) 3-1/2" x 10-1/2" rectangles.
G		51024-1 Cream	1/8	(1) 2-1/2" x WOF strips; subcut (3) 2-1/2" x 7-1/2" rectangles.
Н		51024-2 Hunter	1/3	(2) 3-1/2" x WOF strips; subcut (4) 3-1/2" x 10-1/2" and (4) 3-1/2" x 6-1/2" rectangles.
I		51024-3 Burgundy	3/8	(2) 3-1/2" x WOF strips; subcut (8) 3-1/2" x 10-1/2" rectangles.

WOF - Width of Fabric

HST - Half Square Triangle

**QST** - Quarter Square Triangle

**PROJECT DISCLAIMER:** Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check (our website) for pattern updates and to test the pattern prior to making the project. **Test templates first, before cutting all the pieces.** Free projects are not for resale.



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
	AAS	51025-1 Cream	3-5/8	(1) 15-1/2" x WOF strips; subcut (6) 5-1/2" x 15-1/2" rectangles; from (2) rectangles cut (3) 5-1/2" x 7-1/2" rectangles.
				(1) 5" x WOF strip; subcut (16) 2-1/2" x 5" rectangles.
				(9) 3-1/2" x WOF strips; subcut (36) 2-1/2" x 3-1/2" rectangles and (72) 3-1/2" squares.
				(1) 3-1/4" x WOF strip; subcut (9) 3-1/4" squares.
				(2) 3" x WOF strips; subcut (28) 1-3/4" x 3" rectangles.
J				(1) 2-1/2" x WOF strips; subcut (4) 2-1/2" x 5-1/2" rectangles.
				(15) 2-1/2" x WOF strips; subcut follwing rectangles: (11) 2-1/2" x 10-1/2" • (4) 2-1/2" x 5-1/2" • (22) 2-1/2" x 5" (36) 2-1/2" x 4-1/2" and (50) 2-1/2" squares.
				(4) 2-1/2" x WOF strips. Piece strips via short ends and subcut (3) 2-1/2" x 50-1/2" strips.
				(2) 1-3/4" x WOF strips; subcut (28) 1-3/4" squares.
				(1) 1-1/2" x WOF strips; subcut (6) 1-1/2" x 5-1/2" rectangles.
К	He TIPE	51025-5 Red	1/2	(1) 2-1/2" x WOF strips; subcut (18) 1-1/2" x 2-1/2" rectangles. (1) 3-1/2" x WOF strips; subcut (3) 3-1/2" x 10-1/2" rectangles. (1) 3-1/4" x WOF strips; subcut (9) 3-1/4" squares. (2) 1-3/4" x WOF strips; subcut (24) 1-3/4" squares.
L		51026M-4 Green	1-1/3	(1) 3-1/2" x WOF strips; subcut (4) 3-1/2" x 10-1/2" rectangles. (1) 3-1/2" x WOF strips; subcut (3) 3-1/2" x 6-1/2" rectangles. (7) 1-1/2" x WOF. Piece strips and subcut (2) 1-1/2" x 56-1/2" and (2) 1-1/2" x 77-1/2" strips. Binding: (9) 2-1/4 x WOF strips. Piece strips via short ends.
		F4007		, , , , , , , , , , , , , , , , , , ,
M		51026 M-5 Red	1/3	(2) 3-1/2" x WOF strips; subcut (8) 3-1/2" x 6 1/2" rectangles and (3) 3" squares.
		Backing	5-1/2	Batting 76" x 99"



#### **STAR BLOCKS** (Finished Size: 5" x 7")

- 1. Star Units. Draw a diagonal line on the wrong side of (1) K 1-3/4" square. Place K, right sides together, at a corner of (1) J 1-3/4" x 3" rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal K corner triangle. Repeat with another 1-3/4" K square at the opposite corner of the same J 1-3/4" x 3" rectangle to make a *flying geese unit*. Make (12) JK and (16) JB *flying geese units*.
- 2. Sew (2) **JK** flying geese units to the opposite sides of (1) 3" **M** square to make a row unit. Sew (2) **J** 1-3/4" squares to the opposite short sides of (1) flying geese unit to make a row unit. Make (2) row units. Sew row units together to make (1) Star Unit, measuring 5-1/2" square, raw edge to raw edge. Make (4) **JB** and (3) **J/K/M** Star Units.
- **3.** Sew (1) **J** 2-1/2" x 5-1/2" rectangle to the top of (3) **JB** and (1) **J/K/M Star Units**.
- **4.** Sew (1) **J** 1-1/2" x 5-1/2" rectangle to the top and bottom of (1) **JB** and (2) **J/K/M Star Units**.















SEW ON DRAWN LINE CUT 1/4" EXCESS

OPEN AND PRESS

MAKE (12) JK


MAKE (16) JB

Step 2






Square to 5-1/2"









Make (4) J/B Star Units.

Step 3



Step 4



Make (2)

Make (1)

3



**TREE BLOCK ONE** Refer to diagrams below for following steps.

**5. Row Unit 1:** (1) **J** 2-1/2" x 10-1/2" rectangle.



**6. Half-Square Triangles (HST):** Draw a diagonal line on the wrong side of (1) **J** 3-1/4" square. Place square, right sides together, on (1) **K** 3-1/4" square. Sew 1/4" away from both sides of drawn line. Cut along drawn line. Open and press to yield (2) **JK** HST units. Make (9) **JK** HSTs.


**Quarter-Square Triangles (QST):** Draw a diagonal line on the wrong side of (1) **JK** HST unit. Place (2) **JK** HST units, right sides together, with opposite fabrics facing each other. Sew 1/4" away from both sides of drawn line. Cut along drawn line. Open and press to yield (2) **JK** 2-1/2" QST units. Repeat step to make 18 **JK** QSTs.

- **7. Row 2 Tree Toppers:** Sew (1) **J** 2-1/2" x 4-1/2" rectangle between (1) **JK** QST refer to diagram. Make (18) Tree Toppers.
- 8. For following steps refer to Step 1 Flying Geese Unit assembly to make Rows 3-5 units.

**Row 3:** Make **JD** FLYING GEESE UNIT using (2) **J** 3-1/2" squares and (1) **M** 3-1/2" x 6-1/2" rectangle. Add (1) **J** 2-1/2" x 3-1/2" rectangle to short ends of **JD** unit. Repeat step to make (3) **JD-J**, (4) **JH-J** and (4) **JM-J** units as shown in Row 3 diagram below.


**Row 4:** Make **JE** FLYING GEESE UNIT using (2) **J** 3-1/2" squares and (1) **E** 3-1/2" x 10-1/2" rectangle. Make (4) **JE**, (4) **JL** and (3) **JD** units, as shown Row 4 diagram below.

**Row 5:** Use (2) **J** 2-1/2" squares and (1) **F** 3-1/2" x 10-1/2" rectangle. Make (4) **JF**, (4) **JI** and (3) **JK** units, as shown below.





- **9. Row 6 Tree Trunk:** Sew (2) **J** 2-1/2"  $\times$  5" rectangles to the opposite long sides of (1) **K** 1-1/2"  $\times$  2-1/2" rectangle. Make (18) Tree Trucks.
- **10.** Sew together Row units 1-6 to complete **Tree Block One**, trim to 10-1/2" x 15-1/2" unfinished.



#### **TREE BLOCK TWO** Refer to diagrams below for following steps.


- 11. Row Unit 1: Use remaining Tree Toppers from Step 6 (Tree Block A).
- 12. Row Units 2-5: Similar to Step 8, create flying geese units of the following:

**Row 2:** Use (2) **J** 3-1/2" squares and (1) **L** 3-1/2"  $\times$  6-1/2" rectangle. Add (2) **J** 2-1/2"  $\times$  3-1/2" rectangles to the opposite sides of the *flying geese units*. Make (3) **JL** and (4) **JM** units.

**Row 3:** Use (2) **J** 2-1/2" squares and (1) **G** 2-1/2" x 7-1/2" rectangle. Add (2) **J** 2" x 2-1/2" rectangles to the opposite sides of the *flying geese units*. Make (3) **JG** and (4) **JD** units.

**Row 4:** Use (2) **J** 3-1/2" squares and (1) **E** 3-1/2" x 10-1/2" rectangle. Make (3) **JE** and (4) **JI** units.

**Row 5:** Use (2) **J** 2-1/2" squares and (1) **D** 3-1/2" x 10-1/2" rectangle. Make (3) **JD** and (4) **JH** units.





**13.** Sew together Row Units 1-5 and remaining Tree Trunk units to complete **Tree Block Two**, trim to 10-1/2" x 15-1/2" unfinished.









MAKE (4) M/D/I/H
TREE BLOCK B

#### QUILT CENTER ASSEMBLY Refer to Quilt Center Diagram on pg. 7 for following steps.

**14.** Pieced Rows. Arrange and sew together Pieced Blocks and J rectangles as shown.

Row 1: (3)  $\mathbf{J}$  5-1/2" x 7-1/2" rectangles and (7) Star Blocks, note orientation of Star Blocks.

Row 2: (2) Tree Blocks One, (2) Tree Blocks Two and (2)  $\mathbf{J}$  5-1/2" x 15-1/2"  $\mathbf{J}$  rectangles.

Row 3: (3) Tree Blocks One, (2) Tree Blocks Two.

Row 4: (3) Tree Blocks One, (1) Tree Blocks Two and (2)  $\bf J$  5-1/2"  $\bf x$  15-1/2"  $\bf J$  rectangles.

Row 5: (4) Tree Blocks One, (1) Tree Blocks Two.

**15.** Sew together **Pieced Rows** and (3) **J** 2-1/2" x 50-1/2" sashing strips in the following order: Row 1, Row 2, sashing strip, Row 3, sashing strip, Row 4, sashing strip and Row 5.

#### **QUILT TOP ASSEMBLY** Refer to Quilt Top Assembly Diagram on pg. 8 for following steps.


- **16. Inner Border 1:** Sew (1) **A** 2-1/2" x 73-1/2" strip to opposite long sides of quilt center, followed by (1) **A** 2-1/2" x 54-1/2" strip to remaining opposite short sides of quilt center.
- **17. Inner Border 2:** Sew (1) **L** 1-1/2" x 77-1/2" strip to opposite long sides of quilt center, followed by (1) **L** 1-1/2" x 56-1/2" strip to remaining opposite short sides of quilt center.
- **18. Inner Border 3:** Sew (1) **A** 1-1/2" x 79-1/2" strip to opposite long sides of quilt center, followed by (1) **A** 1-1/2" x 58-1/2" strip to remaining opposite short sides of quilt center.

For following step refer to your favorite quilting source for mitered borders.

**19. Mitered Outer Border:** Matching strip center to **Quilt Center**, sew **C** 5-1/2" x 94-1/2" strips to left and right sides of **Quilt Top**, and **C** 5-1/2" x 71-1/2" strips to the top and bottom of **Quilt Top**. Begin and end seams at 1/4" from each end. Close corners with mitered corners. Trim seam allowance to 1/4". Press seams open.



#### **QUILT CENTER ASSEMBLY**





#### **QUILT TOP ASSEMBLY**



**FINISHING:** Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **L** 2-1/4" strips.