

# Coverlet

Designed by Wendy Sheppard  
Featuring *Shiloh* by Nancy Gere

SIZE: 93 x 93"

FREE  
PROJECT



**THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.**

**PLEASE NOTE:** BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT [WINDHAMFABRICS.COM](http://WINDHAMFABRICS.COM)'S FREE PROJECTS SECTION.



# Coverlet

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		50495-1 Navy	5/8	<p><b>PIECED BLOCKS (1 WHOLE AND 1 SIDE SETTING):</b>            (6) 2" x WOF strips. Reserve (2) for chain piecing with <b>Fabric M</b> strips. From remaining strips cut            (4) 2" x 5" rectangles,            (8) 2" x 8" rectangles and            (4) 2" x 9-1/2" rectangles.            (1) 3-1/2" x WOF strips.            Subcut (16) 2" x 3-1/2" rectangles.</p>
B		50496-3 Red		
C		50497-1 Navy		
D		50497-3 Red		
E		50499-4 Purple		
F		50500-2 Beige		
G		50501-3 Red		
H		50501-4 Purple		
I		50501-6 Toast		
J		50502-4 Purple		
K		50502-7 Blue		
L		50498-1 Navy INCLUDES BINDING	1-1/4	<p><b>PIECED BLOCKS (1 WHOLE AND 1 SIDE SETTING):</b>            (6) 2" x WOF strips. Reserve (2) for chain piecing with <b>Fabric M</b> strips. From remaining strips cut            (4) 2" x 5" rectangles,            (8) 2" x 8" rectangles and            (4) 2" x 9-1/2" rectangles.            (1) 3-1/2" x WOF strips.            Subcut (16) 2" x 3-1/2" rectangles.</p> <p><b>BINDING:</b>            (10) 2-1/4" x WOF strips. Piece strips together to form a continuous binding strip.</p>




# Coverlet

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
M		505498-5 Cream	6-1/8	<p><b>PIECED BLOCKS:</b>            (55) 2" x WOF strips. Reserve (24) strips for chain piecing.            From remaining strips cut            (84) 2" squares,            (48) 2" x 5" rectangles,            (48) 2" x 6-1/2" rectangles and            (48) 2" x 9-1/2" rectangles.            (7) 3-1/2" x WOF strips.            Subcut (24) 3-1/2" squares and            (96) 2" x 3-1/2" rectangles.</p> <p><b>SASHING BLOCKS:</b>            (8) 2" x WOF strips. Reserve for chain piecing with <b>Fabric N</b>.            (4) 11" x WOF strips. Reserve for chain piecing with <b>Fabric N</b>.</p> <p><b>CORNERSTONES:</b>            (3) 4-1/2" x WOF strips.            Subcut (25) 4-1/2" squares.</p>
N		50500-4 Purple	7/8	<p><b>PIECED BLOCKS:</b>            (12) 2" x WOF strips. Reserve for <b>Fabric M</b> strips.</p>
		Backing	3 (108" WIDEBACK)	100" x 100" piece of batting.

## Constructing Pieced Blocks (Whole)

1. *25-Patch Units*. Alternate and sew together (2) 2" x WOF **<print>** strips and (2) 2" x WOF **M** strips. Cut strip set at 2" intervals to yield (18) subunits.

1a. Alternate and sew (5) subunits as shown below.




1b. Sew (1) 2" **M** square to the bottom of (1) subunit.





# Coverlet

**1c.** Then, rotate the unit from Step 1b. and sew to the bottom of the unit from Step 1a. to complete (1) 25-Patch Unit. Square to 8". Make (3) units.



**2.** Sew (1) 2" **M** square to the right of (1) 2" x 5" **<print>** rectangle.




**2a.** Add (1) 2" x 6-1/2" **M** rectangle to the top of previously sewn unit.




**2b.** Add (1) 2" x 3-1/2" **<print>** rectangle to the right of previously sewn unit, followed by (1) 2" x 8" **<print>** rectangle.



**2c.** Add (1) 2" x 5" **M** rectangle to the right of previously sewn unit, followed by (1) 2" x 9-1/2" **M** rectangle.




**2d.** Add (1) 2" x 9-1/2" **<print>** rectangle to the top of previously sewn unit, followed by (1) 2" x 8" **<print>** rectangle to the right. Make (4). Reserve (2) for the side setting triangles.





# Coverlet


3. *Top and bottom sections.* Sew together units made in Steps 1 and 2 to make a section. Make a total of (2) sections.



4. *Middle section.* Arrange and sew together (3) 2" x 3-1/2" **<print>** and (2) 2" x 3-1/2" **M** rectangles to make a pieced unit. Make (2) pieced units, and sew units to the opposite sides of (1) 3-1/2" **F** square. Make (2) Middle sections. Reserve (1) for side setting triangles.



5. Sew top and bottom sections to the opposite long sides of the middle section to complete (1) block. Square to 18-1/2".




6. Make (1) block each for the following fabrics: **A, B, C, D, E, F, G, H, I, J, K, L**



# Coverlet

## Constructing Pieced Blocks (Side Setting)

1. Using (1) 25-Patch unit, (1) Middle section and (2) Log Cabin units, sew together as shown below to create Side Setting triangles.



2. This triangle unit will seem very large, but **do not** trim. The triangles will be trimmed after the quilt top is assembled.

3. Make (1) Side Setting Triangle with each the following fabrics: **A, B, C, D, E, F, G, H, I, J, K, L.**

## Constructing Pieced Sashing Blocks

1. Sew together strips from top to bottom: Alternating (3) 2" x WOF **N** strips and (2) 2" x WOF **M** strips; and (1) 11" x WOF **M** strip. Subcut strip set at 4-1/2" intervals to yield (36) Pieced Sashing Blocks.





# Coverlet

## Constructing Quilt Top

**1. Pieced Diagonal Rows.** Refer to quilt image, arrange and sew pieced blocks (whole and side setting) and sashing blocks to make diagonal rows. Note orientations of sashing blocks.

*Starting from Top-Left:*

Row 1: **L** side setting block - sashing block - **F** side setting block

Row 2: (3) 4-1/2" x 4-1/2" **M** cornerstones and (2) sashing blocks

Row 3: **H** side setting block - sashing block - **K** block - sashing block - **G** block - sashing block - **C** side setting block

Row 4: (5) 4-1/2" x 4-1/2" **M** cornerstones and (4) sashing block

Row 5: **D** side setting block - sashing block - **C** block - sashing block - **E** block - sashing block - **B** block - sashing block - **H** block - sashing block - **A** side setting block

Row 6: (7) 4-1/2" x 4-1/2" **M** cornerstones and (6) sashing blocks

Row 7: **B** side setting block - sashing block - **A** block - sashing block - **F** block - sashing block - **L** block - sashing block - **J** block - sashing block - **I** side setting block

Row 8: (5) 4-1/2" x 4-1/2" **M** cornerstones and (4) sashing block

Row 9: **J** side setting block - sashing block - **I** block - sashing block - **D** block - sashing block - **K** side setting block

Row 10: (3) 4-1/2" x 4-1/2" **M** cornerstones and (2) sashing blocks

Row 11: **G** side setting block - sashing block - **E** side setting block

**2.** Sew pieced diagonal rows together. Add (2) 4-1/2" x 4-1/2" **M** cornerstones to the top right and bottom left.

**3.** Trim excess around quilt top to leave a 1/4" seam allowance to complete quilt top.

[*Note: It might be helpful to mark before trimming to avoid unnecessary trimming errors.*]



# Coverlet

## Quilt Diagram





# Coverlet

## Finishing

1. Layer quilt top, batting and backing together.
2. Baste and quilt as desired.
3. Attach L binding to complete quilt.

