04.01.2017 windhamfabrics.com

Grand Old Flag

designed by Stephanie Sheridan of Stitched Together Studios featuring the *Liberty* collection by Whistler Studios SIZE: 54" X 36"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC LOOK MAY VARY ON YOUR PROJECT.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



e: info@windhamfabrics.com

p: 201-659-0444 • f: 201-659-9719



Grand Old Flag

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS			
Α		42726-2 Red	3/4 YD	(2) 3" X 42" strips; Subcut (16) 3" squares A1 (7) 2-1/2" X 42" strips; Subcut (16) 2-1/2" X 6-1/2" rectangles A2, (16) 2-1/2" X 4-1/2" rectangles A3, and (32) 2-1/2" squares A4			
В		42726-3 Navy	1/3 YD	(3) 3-1/2" X 42" strips; Subcut (24) 3-1/2" squares B1			
С		42726-4 Grey	1/3 YD	(2) 5-1/2" X 42" strips; Subcut (12) 5-1/2" squares C1			
D		42727-2 Red	3/4 YD	(2) 3" X 42" strips; Subcut (16) 3" squares D1 (7) 2-1/2" X 42" strips; Subcut (16) 2-1/2" X 6-1/2" rectangles D2, (16) 2-1/2" X 4-1/2" rectangles D3, and (30) 2-1/2" squares D4			
Е		42727-4 Grey	3/4 YD	(2) 3" X 42" strips; Subcut (16) 3" squares E1 (7) 2-1/2" X 42" strips; Subcut (15) 2-1/2" X 6-1/2" rectangles E2, (15) 2-1/2" X 4-1/2" rectangles E3, and (32) 2-1/2" squares E4			
F	***	42728-3 Navy	1/3 YD	(3) 3-1/2" X 42" strips; Subcut (24) 3-1/2" squares B1			
G		42729-2 Red	3/4 YD	(2) 3" X 42" strips; Subcut (16) 3" squares G1 (7) 2-1/2" X 42" strips; Subcut (16) 2-1/2" X 6-1/2" rectangles G2, (16) 2-1/2" X 4-1/2" rectangles G3, and (32) 2-1/2" squares G4			
Н		42729-3 Navy	3/4 YD	(2) 6" X 42" strips, Subcut (12) 6" squares H1 (5) 2-1/4" X 42" strips BINDING			

Additional Items needed: 1-1/2 YD fusible web product (18" wide)

Backing Fabric: 1-2/3 YD (42" wide) Batting: 60" X 42"

General Instructions:


- A. All seam allowances are ¼" unless otherwise noted.
- B. Read through all instructions before beginning your project.
- C. Press all seam allowances towards the darker fabric unless otherwise noted.



Piecing Instructions:

Block 1 and 2:

- 1. Sew (2) B1 squares to (2) F1 squares into pairs, then sew pairs together to create BF Block, repeat to make (12).
- 2. Trace pattern for circles onto paper side of fusible web product, then roughly cut out each template approximately 1/8" outside the drawn lines. Follow manufacturer's instructions to fuse to wrong side of H1 squares, then cut out template along the drawn lines. Repeat for stars and fuse to C1 squares.
- 3. Fuse the H circle appliques to the center of BF Blocks.
- 4. With the B square in the upper left position, center the C star applique on the H circle, lining up the right star point the BF seam. Fuse in place to create BLOCK 1, make (6).
- 5. Repeat step 5 with the F square in the upper left position to create BLOCK 2., make (6). ~~~ After fusing appliques, you may want to finish the raw edges using a zig zag or buttonhole stitch ~~~











Blocks 3A - 3D and 4A - 4D:

Flying Geese Units:

- 6. Draw diagonal line on the wrong side of (1) E4 square. Place E4 square on one side of (1) G3 rectangle and sew along the diagonal line. Trim excess fabric to 1/4". Press E corner open towards the G corner. Repeat on other side to create EGE Units. Square to 2-1/2" X 4-1/2", make (16).
- 7. Repeat step 6 using G4 squares with A3 rectangles to make (16) GAG Units, A4 squares with D3 rectangles to make (16) ADA Units, and D4 squares with E3 rectangles to make (15) DED Units.


















Half Square Triangle Units:

- 8. Draw diagonal line on the wrong side of (1) E1 square. Place E1 square on right sides together with (1) G1 square. Sew 1/4" on either side of diagonal line, then cut on drawn line. Press open. Square to 2-1/2", make (16) EG HSTs.
- 9. Repeat step 8 using G1 squares with A1 squares to make (16) GA HSTs, A1 squares with D1 squares to make (16) AD HSTs, and D1 squares with E1 squares to make (15) DE HSTs.





















Block Assembly:

- 10. Following chart below, piece Flying Geese Units and HSTs together to create rows, then sew rows together to create blocks. Make number indicated on chart. Square all to 6-1/2".
 - ~~~ Press seam allowances towards the 2-1/2" \times 6-1/2" rectangles on all blocks to allow seams to nest ~~~

	BLOCK 3A (6)	BLOCK 3B (5)	BLOCK 3C (5)	BLOCK 3D (5)	BLOCK 4A (5)	BLOCK 4B (6)	BLOCK 4C (5)	BLOCK 4D (5)
ROW 1	EGE Unit-EG HST	GAG Unit -GA HST	ADA Unit-AD HST	DED Unit-DE HST	G2	A2	D2	E2
ROW 2	G2	A2	D2	E2	GAG Unit -GA HST	ADA Unit-AD HST	DED Unit-DE HST	EGE Unit-EG HST
ROW 3	GAG Unit -GA HST	ADA Unit-AD HST	DED Unit-DE HST	EGE Unit-EG HST	A2	D2	E2	G2
		A A		Mr. Allen	报线机战			

















Assembly Instructions: (Refer to quilt diagram for proper placement and rotation of blocks)

Quilt Assembly:

11. Sew blocks together into rows, then sew rows together.

Row 1: 1 - 2 - 1 - 2 - 3A - 4A - 3B - 4B - 3C

Row 2: 2 - 1 - 2 - 1 - 4B - 3C - 4C - 3D - 4D

Row 3: 1 - 2 - 1 - 2 - 3D - 4D - 3A - 4A - 3B

Row 4: 4C - 3D - 4D - 3A - 4A - 3B - 4B - 3C - 4C

Row 5: 3A - 4A - 3B - 4B - 3C - 4C - 3D - 4D - 3A

Row 6: 4B - 3C - 4C - 3D - 4D - 3A - 4A - 3B - 4B

Finishing:

Backing and batting should be 6" larger than finished quilt top. Layer your backing, batting and quilt top, then quilt as desired. Bind using your preferred method ... and enjoy!



SIZE: 54" X 36"

— QUILT DIAGRAM —

