03.01.2018 windhamfabrics.com

### Independence

designed by Stephanie Sheridan of Stitched Together Studios featuring the *Brave and Free* collection by Whistler Studios

SIZE: 56-1/2" X 70-1/2"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC LOOK MAY VARY ON YOUR PROJECT

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



FREE PROJECT



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
А		50118-X Multi	5/8 YD	(1) 18-1/2" X 18-1/2" square fussy cut
В @	AMMU Ann. Stors & Strip Onevica IMIDON Brave & Brave & Free USA	50119-1 White	1/4 YD	(1) 5-1/2" X WOF strip, subcut (6) 5-1/2" squares
С	*****	50120-2 Navy	1 YD	(2) 7" X WOF strips, subcut (12) 7" squares, cut once diagonally to create (24) HST (7) 2-1/4" X 42" strips, BINDING
D		50120-3 Red	2/3 YD	(2) 11" X WOF strips, subcut (4) 11" squares and (4) 6-1/2" squares
E @		50122-1 White	1 YD	(2) 15-1/2" X WOF strips, subcut (3) 15-1/2" squares, crosscut twice to create (10) QST and (2) 8" squares crosscut once to create (4) HST (Note: Cut (1) 8" square parallel to the stripes and (1) 8" square perpendicular to the stripes)
F		50123-2 Navy	1-1/4 YD	(6) 6-1/2" X WOF strips, sew short ends together. See Border Assembly for subcut instructions.
G		35370S-1 Optic White	1-1/4 YD	(2) 11" X WOF strips, subcut (4) 11" squares (7) 1-1/2" X WOF strips, subcut(12) 1-1/2" X 5-1/2" strips, (12) 1-1/2" X 7-1/2" strips, (2) 1-1/2" X 18-1/2" strips and (2) 20-1/2" strips (6) 1-1/2" X WOF strips, sew short ends together. See Border Assembly for subcut instructions.
		Backing	3-1/2 YD	Batting: 65" X 79"

WOF= Width of Fabric

@= Directional Fabric

### **General Instructions:**


- A. All seam allowances are ¼" unless otherwise noted.
- B. Read through all instructions before beginning your project.
- C. Press all seam allowances towards the darker fabric unless otherwise noted.





<u>Piecing Instructions:</u> (Refer to block diagrams and images for proper placement)

**Block 1:** (Make 1, square to 20-1/2")

1. Sew (1) **G** 1-1/2" X 18-1/2" strip to each side of (1) **A** 18-1/2" square, then (1) **G** 1-1/2" X 20-1/2" strip to top and bottom to create **BLOCK 1**.







Block 2: (Make 8, square to 10-1/2")

2. Draw diagonal line on the wrong side of (1) **G** 11" square. Place G square right sides together with (1) **D** square. Sew 1/4" on either side of the diagonal line, then cut on drawn line. Press open. Square to 10-1/2", repeat to make (8) **BLOCK 2**.















**Block 3:** (*Make 6, square to 10-1/2"*)

- 3. Sew (1) **G** 1-1/2" X 5-1/2" strip to each side of (1) **B** 5-1/2" square, then (1) **G** 1-1/2" X 7-1/2" strip to top and bottom to create **BG Unit**.
- 4. Find center of (1) **C** 7" HST and one side of **BG Unit**. Place right sides together, lining up centers; pin, then sew and press. Repeat on opposite side of **BG Unit**.
- 5. As in step 4, sew **C** 7" HST to remaining sides of **BG Unit** to complete **BLOCK 2**. Square to 10-1/2", being careful to leave 1/4" seam allowance beyond points of **BG unit**, make (6).





Assembly Instructions: (Refer to quilt diagram for proper block placement and rotation)

#### **Quilt Assembly:**

- 6. Place (1) E QST right sides together with (1) BLOCK 2 (lining up bottom edges) and sew to create E2 Unit. Make (2).
- 7. Find center of (1) **E HST** and one side of (1) **BLOCK 3**. Place right sides together, lining up centers, pin, then sew and press. Sew (1) **BLOCK 2** to the other side of **BLOCK 3** to create **E2-3 Unit**. Make (2).
- 8. Sew **E2** and **E2-3 Units** together. Sew (1) set to one side of **BLOCK 1**, then sew other set to opposite side of **BLOCK 1** to create ROW 4.
- 9. Sew **QSTs**, **HSTs** and **BLOCKS** together into diagonal rows, then sew rows together go create quilt center. Square to 43" X 57", being careful to leave 1/4" seam allowance beyond points of blocks.

ROWS 1 and 7: **E HST** (line up middle to adjacent row)

ROWS 2 and 6: **E QST—BLOCK 3—E QST** (line up bottoms when constructing row, then match seams when sewing to adjacent row)

ROWS 3 and 5: **E QST—BLOCK 2—BLOCK 3—E QST** (line up bottoms when constructing row, then match seams when sewing to adjacent row)

ROW 4: See steps 6, 7 and 8 above

#### **Border Assembly:**

- 10. Measure sides of quilt (ours is 57"), cut (2) **G** 1-1/2" strips to fit, then sew to sides of quilt. Measure top and bottom of quilt (ours is 45") cut (2) **G** 1-1/2" strips to fit, then sew to top and bottom of quilt.
- 11. Measure top and bottom of quilt (ours is 45"), cut (2) **F** 6-1/2" strips to fit, set aside. Measure sides of quilt (ours is 59") cut (2) **F** 6-1/2" strips to fit, then sew to sides of quilt. Sew (1) **D** 6-1/2" square to each end of **F** 6-1/2" strips, then sew to top and bottom of quilt.

#### Finishing:

Backing and batting should be 8" larger than finished quilt top. Layer your backing, batting and quilt top, then quilt as desired. Bind using your preferred method ... and enjoy!



SIZE: 56-1/2" X 70-1/2"

**QUILT DIAGRAM** 

