

"Palisade"

Designed by Erin Underwood
Featuring the Serena Collection by Another Point of View
Size: 45" x 60"



Check www.windhamfabrics.com Free Project section to see if there are any pattern updates before you start your quilt project

WINDHAM *W* **FABRICS**

812 Jersey Ave ~ Jersey City, NJ 07310 ~ 201.659.0444 ~ FAX: 201.659.9719
www.windhamfabrics.com email: retail@windhamfabrics.com

"Palisade"








Designed by Erin Underwood
Featuring the Serena Collection by Another Point of View
Size: 45" x 60"

Fabric Requirements and Cutting Chart:

Refer to the chart below for cutting fabric.








HINT: To keep things organized, label the fabric strips as they are cut.

*WOF = Width of Fabric
Selvage to Selvage

		Yardage	Cutting
	37382-1 Blue	1/4	Unit A - Cut 2 strips at 2-1/2" x 32-1/2" For backing, cut 1 strip at 2-1/2" by WOF*
	37382-2 tan:	1-1/4	Cut all strips parallel to selvage Unit E - Cut 2 at 2-1/2" x 45-1/2" For backing, cut 7 strips at 2-1/2" x WOF
	37383-2 tan	1/4	Unit F1 - Cut 2 strips at 2-1/2" x 15-1/2" Unit C1 - Cut 2 strips at 2-1/2" x 25"
	37383-3 Navy	1-1/4	Cut all strips parallel to selvage Unit F - Cut 2 at 2-1/2" x 48-1/2" For backing, cut 7 strips at 2-1/2" x WOF
	37384-1 blue	1-1/4	Cut all strips parallel to selvage Unit G - Cut 2 strips at 2-1/2" x 42-1/2" For backing, cut 7 strips at 2-1/2" x WOF
	37384-2 tan	1/4	Unit E2 - Cut 1 strip at 2-1/2" x 19-1/2" Unit B1 - Cut 2 strips at 2-1/2" x 26"
	37385-1 Blue	1/4	Unit C - Cut 2 strips at 2-1/2" x 40-1/2" For backing, cut 1 strip at 2-1/2" by WOF

"Palisade"

Page 2

	37385-2 tan	1/3	Unit G1 - Cut 2 strips at 2-1/2" x 21" Unit A1 - Cut 2 strips at 2-1/2" x 31"
	37385-3 navy	1/4	Unit D - Cut 2 strips at 2-1/2" x 34-1/2" For backing, cut 1 strip at 2-1/2" by WOF
	37386-1 blue	1/4	Unit I - Cut 2 strips at 2-1/2" x 34-1/2" For backing, cut 1 strip at 2-1/2" by WOF
	37386-2 tan	1/4	Unit I1 - Cut 2 strip at 2-1/2" x 29" Unit E1 - Cut 1 strips at 2-1/2" x 18"
	37386-3 navy	1/4	Unit B - Cut 2 strips at 2-1/2" x 37-1/2" For backing, cut 1 strip at 2-1/2" by WOF
	37387-2 tan	1/3	Unit H1 - Cut 2 strips at 2-1/2" x 26" Unit D1 - Cut 2 strips at 2-1/2" x 29"
	37387-3 navy	1/4	Unit H - Cut 2 strips at 2-1/2" x 37-1/2" For backing, cut 1 strip at 2-1/2" by WOF

Batting Needs: 45" x 60" piece - Cut 18 strips at 2-1/2" x 60".

"Palisade"

Page 3

Construction: Making points

For each of the 2-1/2" palisade strips (Unit A - I), fold the strip in half, right sides together.

Using a ruler with a 60-degree angle, draw a 60-degree line from the corner.

Sew 1/4" away from the drawn line. Trim the seam allowance to 1/4".

Press the seam open.

Turn the point right side out and press. Make sure the seam is exactly in the center of the 2-1/2" strip.



Backing Strips:

Sew backing strips together end to end using a 45-degree seam.

Place one strip on top of another strip, right sides together, as illustrated.

Using a ruler with a 45-degree angle, draw a 45-degree line that starts at the top left corner of the top strip. Sew on the drawn line. Trim seam allowances to 1/4". Press seam open.

Sew all of the backing strips together into one long strip. Cut the long strip into eighteen 60" x 2-1/2" segments.



Assembling First Palisade:


Layer a 60" backing fabric strip, wrong side up, with a batting strip. (See illustration on the next page.)

Unit A1 should be placed first, wrong side to batting. Make sure to keep the ends of the strips even and the long edges aligned.

Place Unit A on top, wrong side to batting. Unit A should overlap Unit A1 by about 1/2" below the folded sides of the point. Keep the ends and long edges aligned.

"Palisade"


Page 4



Sewing the rest of the Palisades - Refer to the illustration on page 6, if needed.

Add a second backing fabric strip next to the first backing fabric strip, right sides together. Add a batting strip behind the second backing fabric strip.


Place Unit B on top of Unit A, right sides together. Match the fabric up on the sides and the end of the strip. Add Unit B1 on top of Unit A1, right sides together. Match the end and sides.



Pin well to keep the strips from shifting. Using a walking foot, sew through all the layers with a 1/4" seam.

Press the strips away from the first strip sandwich on both the top and bottom to create a second palisade.


Add Unit C and Unit C1 in the same manner.



"Palisade"

Page 5

Continue adding strips in the same manner until 18 rows have been added.
See Illustration for fabric placement.



To secure the palisades,
top stitch across all the points.

Sew through all the layers.

Keep the seam about 1/8" from
the edge of the blue fabric.

Square the quilt up to 60" x 36".

Binding:

Cut 2-1/4" strips from the remaining fabric and sew strips together using a diagonal seam. Approximately 205" of binding are needed. Bind using your favorite method.

Be sure to visit www.windhamfabrics.com to see the complete collection
and to download other Free Projects

WINDHAM FABRICS