Designed by Char Hopeman
Featuring the Adventures In Wonderland collection by Whistler Studios
Size: 47" x 59"



Check www.windhamfabrics.com Free Project section to see if there are any pattern updates before you start your quilt project



Page 2

Materials

1 yd 30850x multi (center panel) 1/2 yd 30850-1 blue 1 1/4 yd 30850-3 black 3/4 yd 30851-3 black 3/4 yd 30851-4 red (includes binding) 3 3/4 yd 30853-6 (backing fabric is directional) 1/4 yd 30854-3 black 1/4 yd 30854-4 red 1/2 yd 30856-6 white

Batting





Page 3

INSTRUCTIONS

From fabric 30857X cut a panel $22\frac{1}{2} \times 34\frac{1}{2}$ ".

From fabric 30854-4 red check cut $4 - 1\frac{1}{2}$ "w strips. Cut two strips $34\frac{1}{2}$ " long. Sew these to the sides of the panel. Press the seams toward these strips. Cut two strips $24\frac{1}{2}$ " long. Sew these to the top and bottom of the panel. Press as before.

Make 4 hourglass blocks as follows.

From fabric 30850-3 cut $1 - 7\frac{1}{4}$ " square.

From fabric 30851-3 cut $1-7\frac{1}{4}$ " square.

From fabric 30856-6 cut 2 - 71/4" squares.

Draw a diagonal line on the back of the squares.









Lay a white square and a black square right sides together. Sew 1/4" from both sides of the drawn line. Cut on the drawn line. Press open to yield 2 HST.

Lay a 30851-3 pieced triangle right sides together with a 30850-3 pieced triangle so that the blacks are opposite one another. Draw a diagonal line across the seam. Sew 1/4" from both sides of the drawn line. Cut on the drawn line. Press toward the black. Square to 6 1/2".







Make 4 Hourglass blocks

Make 20 of the following 6" finished blocks as follows.

From fabric 30851-4 red cut $2-2\frac{5}{8}$ "w strips. From these strips cut $20-2\frac{5}{8}$ " squares. From fabric 30856-6 white cut $2-2\frac{5}{8}$ "w strips. From these strips cut $20-2\frac{5}{8}$ " squares. Sew the red and white squares into 20 four patches pressing toward the red squares. Square to $4\frac{3}{4}$ ".



From fabric 30850-1 blue cut 3 – $4\frac{1}{4}$ "w strips. From these strips cut 20 – $4\frac{1}{4}$ " squares. Draw a diagonal line on the back of the squares.





Page 4

From fabric 30850-3 black cut $2 - 4\frac{1}{4}$ " w strips. From these strips cut $10 - 4\frac{1}{4}$ " squares. From fabric 30851-3 black cut 2 - 41/4" w strips. From these strips cut 10 - 41/4" squares.



Lay 10 blue squares and 10 - 30850-3 black squares right sides together.

Sew 1/4" from both sides of the drawn line. Cut on the drawn line.

Do the same with the remaining blue squares and the 30851-3 black squares.

Press toward the black.



Cut all of the pieced triangles in half diagonally across the seam. Sew the black fabric 30850-3 pieced triangles to opposite sides of the four patch squares. Press the seams toward the four patches. Repeat steps using the black fabric 30851-3 pieced triangles to the remaining sides of the four patch sugare.









Make 20 of these blocks

Sew 6 blocks together. Press the seams to one side. Sew this strip of blocks to the side of the quilt. Press the seam toward the red check border. Make another strip of 6 blocks. Press as before. Sew this strip to the opposite side of the quilt. Press as before.

Sew 4 blocks together. Sew an hourglass block onto each end. Press the seams toward the blocks. Sew this strip to the top of the quilt. Press the seam toward the red check border. Make another strip like this and sew it to the bottom of the quilt top. Press as before.

From fabric 30854-3 black check cut 5 - 11/2"w strips. Cut two strips 481/2" long. Sew these to the sides of the quilt. Press the seams toward these strips. Cut two strips 38 1/2" long. Sew these to the top and bottom of the quilt. Press as before.

From fabric 30850-3 cut 5 - 5"w strips. Sew these into one long strip. Measure the length of the quilt top. From the long strip cut two strips this length. Sew them to the sides of the guilt top. Press the seams toward these border strips. Measure the width of the guilt top. Cut two border strips this length. Sew them to the top and bottom of the quilt top. Press as before.

Piece the backing fabric 30853-6. Cut the selvages from the seam and press the seam open. Layer the backing, batting and quilt top. Baste and quilt as desired.

From fabric 30851-4 red cut 6 - 21/2"w strips. Bind your quilt. Enjoy!

Be sure to visit www.windhamfabrics.com to see the complete collection and to download other Free Projects

