

Facets

Designed by Wendy Sheppard
Featuring Grace II by Whistler Studios
SIZE: 72 1/4" x 96 1/4"



FREE
PROJECT

THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



Facets










1 FQ Bundle Needed

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		43098-1 Dark Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
B		43098-3 Tan	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
C		43098-4 Beige	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
D		43099-1 Dark Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
E		43099-2 Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
F		43099-3 Tan	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
G		43100-1 Dark Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
H		43100-3 Tan	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
I		43100-4 Beige	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
J		43101-1 Dark Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
K		43102-1 Dark Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
L		43102-2 Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
M		43102-4 Beige	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
N		43103-2 Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.



Facets

P		43103-4 Beige	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
Q		43104-2 Grey	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
R		43104-3 Tam	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.
S		43104-4 Beige	1 FQ	Pieced Blocks: (6) 4" x 4" squares, (8) 1 1/2" x 3 1/2" rectangles and (16) 1 1/2" x 1 1/2" squares.

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
T		43099-5 White	4 3/4	<p>Pieced blocks: (11) 4" x WOF. Subcut (108) 4" x 4" squares. (11) 3 1/2" x WOF. Subcut (90) 3 1/2" x 3 1/2" squares and (72) 1 1/2" x 3 1/2" rectangles. (13) 1 1/2" x WOF. Subcut (360) 1 1/2" x 1 1/2" squares.</p> <p>Sashing strips <i>[Note: Since quilt is an on-point layout, it is advisable to measure length of pieced rows before cutting the strips.]</i> (23) 2 1/2" x WOF. Subcut (2) 2 1/2" x 20" sashing strips from (1) strip and (24) 2 1/2" x 15 1/2" sashing strips from (12) strips. Piece remaining (10) strips and subcut (2) 2 1/2" x 54", (2) 2 1/2" x 88" and (1) 2 1/2" x 105" sashing strips.</p>
U		43098-2 Grey	2	<p>(3) 22 1/2" x WOF. Subcut (3) 22 1/2" x 22 1/2" squares. Cut squares diagonally twice to yield 12 side setting triangles. Will use only 10. From remaining fabric, cut (2) 11 1/2" x 11 1/2" squares. Cut squares diagonally once to yield 4 corner setting triangles.</p>
V		43100-1 Dark Grey	3/4	Cut into 2 1/4" strips. Piece strips to make a continuous binding strip.
		Backing	5 7/8	
				79" x 103" piece of batting



Facets


Constructing Pieced Block (using fabric A block as example)

1. HST units. Draw a diagonal line on the wrong side of (1) 4" x 4" **T** square. Place square, right sides together, on (1) 4" x 4" **A** square. Sew 1/4" away from, on right and left sides of drawn line. Cut along drawn line. Open and press to yield 2 HST units. Align diagonal seam along 45-degree angle on quilting ruler, and trim HST units to measure 3 1/2" x 3 1/2" raw edge to raw edge.




Make a total of 12 HST units.

2. Rail fence units. Sew together (3) 1 1/2" x 3 1/2" rectangles to make a rail fence unit: (2) **A** and (1) **T**. Square unit to measure 3 1/2" x 3 1/2" raw edge to raw edge.



Make a total of 4 units.

3. 9-patch units. Sew together (9) 1 1/2" x 1 1/2" to make a 9-patch unit: (5) **T** and (4) **A**. Square unit to measure 3 1/2" x 3 1/2" raw edge to raw edge.



Make a total 4 units.




Facets

4. Arrange and sew units and pieces into rows.

Row 1 & 5: (4) HST units and (1) 3 1/2" x 3 1/2" **T** square.




Row 2 & 4: (2) HST units, (2) 9-patch units and (1) rail fence unit.



Row 3: (2) rail fence units and (3) 3 1/2" x 3 1/2" **T** square.



5. Sew rows together to complete **A** block. Square to 15 1/2".



Repeat to make remaining 17 blocks using the fabrics cut from the **B - S** FQs



Facets

Quilt Top Assembly

1. Diagonal pieced rows. Sew rows and 2 1/2" x 15 1/2" **T** sashing rectangles to make pieced rows.

From top left:

Row 1: (2) 2 1/2" x 15 1/2" **T** sashing rectangles and **K** block. Add (2) **U** side setting triangles to opposite short ends.


Row 2: (4) 2 1/2" x 15 1/2" **T** sashing rectangles and **E, R, I** blocks. Add (2) **U** side setting triangles to opposite short ends.

Row 3: (6) 2 1/2" x 15 1/2" **T** sashing rectangles and **S, C, A, L, B** blocks. Add (1) **U** side setting triangle to the left of pieced row, and (1) grey tonal corner setting triangle to the right of pieced row.

Row 4: (6) 2 1/2" x 15 1/2" **T** sashing rectangles and **H, D, F, P, J** blocks. Add (1) **U** corner setting triangle to the left of piece row, and (1) **U** side setting triangle to the right of pieced row.

Row 5: (4) 2 1/2" x 15 1/2" **T** sashing rectangles and **M, Q, N** blocks. Add (2) **U** side setting triangles to opposite short ends.

Row 6: (2) 2 1/2" x 15 1/2" **T** sashing rectangles and **G** block. Add (2) **U** side setting triangles to opposite short ends.





Facets

2. Sew rows and sashing strips together as shown:

- Row 1 & Row 7: (1) 2 ½" x 20" T sashing strip
- Row 2 & Row 6: (1) 2 ½" x 54" T sashing strip
- Row 3 & Row 5: (1) 2 ½" x 88" T sashing strip
- Row 4: (1) 2 ½" x 105" T sashing strip

Add (1) U corner setting triangle to the top left and bottom right corners to complete quilt center. Trim around quilt center to include ¼" seam allowance. Quilt center should measure approximately 72 ¾" x 96 ¾".



Quilting Instructions

With the backing fabric laying taut, place batting and then quilt top to form quilt sandwich. Baste sandwich. Quilt as desired. Bind to finish quilt.