08.01.17 windhamfabrics.com

# Fallin' For You

Designed by Stacey Day Featuring Going Steady by MYKT SIZE: 55" x 65"



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.



FREE PROJECT



KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
Α		43283-4 Cream	2 5/8	(20) 2 1/4" x WOF; cut (60) 2 1/4" x 12 1/8". (6) 5 1/4" x WOF; cut (46) 5 1/4" x 5 1/4". (5) 2" x WOF; cut (92) 2" x 2".
В		43278-X Multi	3/8	(7) 5 3/4" x 7 7/8" fussy cut around the motif.
С		43279-1 Periwinkle	1/3	(1) 10" x WOF; cut (4) 5 1/4" x 10".
D		43279-2 Pink	1/3	(1) 10" x WOF; cut (4) 5 1/4" x 10".
E		43279-3 Mint	1/3	(1) 10" x WOF; cut (4) 5 1/4" x 10".
F		43281-1 Periwinkle	1/3	(1) 10" x WOF; cut (4) 5 1/4" x 10".
G		43281-2 Pink	1/3	(1) 10" x WOF; cut (4) 5 1/4" x 10".
Н		43282-3 Mint	1/3	(1) 10" x WOF; cut (4) 5 1/4" x 10".
I	**************************************	43283-2 Pink	1/3	(1) 10" x WOF; cut (4) 5 1/4" x 10".
J	***********	43283-3 Mint	1/3	(1) 10" x WOF; cut (4) 5 1/4" x 10".
K	Biggirler Dalah & Duron Con March Con	43280-4 Cream	1/3	(1) 10" x WOF; cut (6) 5 1/4" x 10".
L		43281-4 Cream	1/3	(1) 10" x WOF; cut (6) 5 1/4" x 10".
М		43282-1 Periwinkle	1/3	(1) 10" x WOF; cut (2) 5 1/4" x 10"
N	Egysthe Eding Steady of Sharing William Long Steady of Sharing of Sharing Sharing Steady of Sharing Sharing Sharing of Sharing S	43280-5 Charcoal	7/8	(7) 2 1/4" x WOF. (14) 2 5/8" x 9 7/8"
0		43282-5 Charcoal	1/8	(2) 1 1/2" x WOF; cut (14) 1 1/2" x 5 3/4".
Р		Backing	3 1/2	
				63" x 73" Piece of Batting


Cutting Instructions: HRT=Half Rectangle Triangle, WOF= Width of Fabric




#### **Sewing Instructions:**

All seams are sewn right sides together. Seam allowances are 1/4". Press seams as directed.

- 1. Pin a 2"  $\times$  2" **Fabric A** square to the top left and right of each 5 1/4"  $\times$  10" rectangle. Sew across the square on the diagonal and trim the seam allowance to 1/4". Press towards the rectangle.
- 2. Sew the 5 1/4" x 10" rectangles together, matching print and seam allowances, to make a square 10" x 10". Press seam open.
- 3. Pin a 5 1/4" x 5 1/4" **Fabric A** square to the bottom corner of each square. Sew on the diagonal and trim the seam allowance to 1/4". Press towards the square to make (23) Heart Blocks; (1) **Fabric M**, (2) **Fabric C, D, E, F, G, H, I, and J,** and (3) **Fabric K and L.** Trim and square to 9 7/8" x 97/8".




- 4. Sew the 1 1/2" x 5 3/4" **Fabric O** rectangles to either end of the 5 3/4" x 7 7/8" **Fabric B** rectangles. Press towards Fabric B.
- 5. Sew the 2  $5/8" \times 9 7/8"$  **Fabric N** rectangles to the top and bottom of the **Fabric B** rectangles. Press towards **Fabric B** to make (7) Accent Blocks. Trim and square to  $97/8" \times 97/8"$ .






6. Cut (30) 2 1/4" x 12 1/8" **Fabric A** rectangles, right side up, on the diagonal from top left to bottom right into (60) HRT.




7. Sew the HRT to all 4 sides of the following blocks and press toward the HRT: (4) Accent Blocks, (2) **Fabric I, K, L** Hearts Blocks, (1) **Fabric F, G, H, J, M** Heart Blocks. Trim and square to 9 7/8" x 9 7/8".



8. Cut (30) 2 1/4" x 12 1/8" **Fabric A** rectangles, right side up, on the diagonal from top right to bottom left into (60) HRT.



9. Sew the HRT to all 4 sides of the following blocks and press toward the HRT: (3) Accent Blocks, (2) **Fabric C, D, E** Heart Blocks, (1) **Fabric F, G, H, J, K, L** Heart Blocks. Trim and square to 9 7/8" x 9 7/8".





### Finishing

- 10. Using the layout chart as a guide, sew the Heart Blocks and Accent blocks together into rows, paying close attention to the placement and orientation of each block. Press the even rows right and the odd rows left.
- 11. Sew the rows together into the quilt top, matching seam allowances carefully. Press towards the bottom of the quilt.
- 12. Make a backing approximately 63"x 73" from **Fabric P**.
- 13. Layer the backing right side down, batting, and quilt top right side up. Baste the layers together and quilt as desired. Trim excess batting and backing even with the quilt top.
- 14. Piece the 2 1/4" x WOF **Fabric N** strips using diagonal seams to make a continuous binding. Sew the binding around the quilt top. Turn the binding to the back and secure in place by hand or machine. Label and enjoy.



