


# “My LQS”

Designed by Bethany Fuller of Grace's Dowry Quilts  
Featuring the Shop Local collection by Another Point of View  
Finished Size: 60 x 60”



Check [www.windhamfabrics.com](http://www.windhamfabrics.com) Free Project section to see if there are any pattern updates before you start your quilt

**WINDHAM FABRICS**

812 Jersey Ave ~ Jersey City, NJ 07310 ~ 201.659.0444 ~ FAX: 201.659.9719  
[www.windhamfabrics.com](http://www.windhamfabrics.com) email: [retail@windhamfabrics.com](mailto:retail@windhamfabrics.com)

# “My LQS”

Page 2


## Fabric Requirements




37481-1



37481-4



37482-4



37482-5




37481-3



37478-X




37479-X



37477-X

37481-1 1/8 yard  
37481-4 1/8 yard  
37482-4 1/8 yard  
37482-5 1/8 yard  
37483-5 3/4 yd cornerstones and binding  
1 3/4 yds white solid  
4 yds backing

37481-3 1/3 yd  
37478-X 3/8 yd  
37479-X 1 1/2 yds  
37477-X 1 3/4 yds



37483-5

## Cutting Instructions

From the Block Centers fabric (37478-X), fussy-cut 9 – 5 1/4" squares.

From the fabric for spool tops and bottoms (37481-1, 3 & 4 and 37482-4 & 5) cut:

From the pink, cut 2 – 2 3/4" x 9 3/4" rectangles

From the remaining 4 prints, cut 4 each – 2 3/4" x 9 3/4" rectangles

From the white background fabric, cut:

2 - 11" strips, cut into 18 - 4 1/2" x 11" rectangles. Cut these rectangles in half diagonally from bottom left corner to top right, as pictured here. ----->

2 – 12 1/2" strips, cut into 24 – 2" x 12 1/2" rectangles for sashing

Cut remaining strip into 36 – 2 3/4" squares

3 – 2 3/4" strips, cut into 18 – 2 3/4" x 5 1/4" rectangles

From the 1st Border fabric (37479-X), cut 4 – 3 1/2" LENGTHWISE strips

From the 2nd Border fabric (37481-3), cut 5 – 1 1/4" strips

From the 3rd Border fabric (37477-X), cut 4 – 5 1/2" LENGTHWISE strips

From the Cornerstone fabric (37483-5), cut 1 – 5 1/2" strip. Cut into 4 – 5 1/2" strips and 16 – 2" squares.

From the Binding fabric, cut 7 – 2 1/2" strips



# “My LQS”

Page 3

## Piecing Instructions

Using the  $2\frac{3}{4}$ " white squares and the  $2\frac{3}{4}$ " x  $9\frac{3}{4}$ " rectangles for spool tops and bottoms, make the following block.




Draw a diagonal line on the wrong side of the white squares. Lay right sides together with the spool top fabric. Sew on drawn line. Trim off outside corner, leaving a  $\frac{1}{4}$ " seam allowance. Press triangles out. Repeat this process for all of the rectangles.



Sew two  $2\frac{3}{4}$ " x  $5\frac{1}{4}$ " white rectangles to opposite sides of each center square. Press away from the center.


Sew a matching pair of top and bottom rectangles to each of these units. Press away from the center.



Now sew the white triangles (rectangles cut diagonally) to each side of the block. Sew them oriented the same direction on one block so they tilt it to the side. Trim to  $12\frac{1}{2}$ " square. Alternate directions by using the reverse side of the triangle.

# “My LQS”

Page 4



Set blocks into rows with white sashing and green cornerstones.

Measure across quilt center and cut 1st Border to size. Pin and sew. Repeat for 2nd border. Measure across quilt after 2nd Border is added. Cut 4 strips to this size. Add green corner blocks to ends of 2 strips. Add borders.

Quilt in your preferred fashion and bind.

**ENJOY!!**

Be sure to look at the [FREE PROJECTS SECTION OF THE WINDHAM FABRICS website](#) before beginning your project to check for any updates.